

Let *Dimplex* inspire you



EN

CREATE
Electric fires
2019/2020

 **Dimplex**
www.dimplex-fires.eu

Fire is dangerous, we were taught as kids. Fire is warm and cosy, we learned around the campfire. Fire is magical, we feel on a winter's night, watching the flames dance. Human civilization began with taming fire. With the invention of electric fires, we have tamed it for a second time. Whether in a private apartment, a hotel lobby, a bar or a restaurant, the patented Dimplex technology creates a fire that is warm, cosy and magical – and above all safe.

Let Dimplex inspire you ...

Heating
for generations



The *Dimplex* vision on living



City smart

In the city we have to be flexible, efficient and sustainable in how we deal with our space and materials. This results in an increasing need for small, flexible homes. Small apartments, containers and tiny homes are good examples of this. A Dimplex fireplace is a sustainable solution and should fit anywhere, even in the smallest space.

Communities

There is an increasing number of communities, where people live together and look after each other, living for example in apartments with individual space that can be subdivided as required by means of flexible wall partitions. There is also an increasing number of spaces where residents make much more use of shared living spaces like a laundry, a roof terrace and a living area. Wherever people gather and share facilities and personal stories, fire will connect them.

The consumer as interior designer

The interior of your home says something about who you are, what you believe in and how you want to live. People are increasingly the curator of their own home, where they create their own design and layout. Inspired by social media and personalised by means of collected objects that are displayed as a showroom of your life. Old and new are combined, we want something new, but we also want to include what is good or tells a personal story.

Flexible and modular living

Important elements in a home are space and comfort, and how you can play around with them. A Dimplex fireplace can add comfort and atmosphere to the available space. Whether that space is in a stately mansion or in a small apartment, there is a solution for every home and for every room. A fireplace is not only suitable for the living room, but also adds value in your kitchen, when you are cooking for your loved ones or friends. Think of the sense of wellness provided by a fireplace when you take a luxurious bath or relax on your balcony after a long day.

The role of fire in your interior

Fire inspires, relaxes, alleviates and reduces your heart rate. Fire attracts people, stimulates contact and connects us. A cosy, comfortable fireplace gives you a sense of relaxation and well-being. Let us inspire you and add value to your interior.



ELECTRIC
COMFORTABLE
CLASSIC ROMANTIC IMPRESSIVE
COOL INDIVIDUAL COSY WARM
FAMILIAR CALM
COSY SAFE
CLASSIC IMPRESSIVE
COMFORTABLE ELECTRIC
INDIVIDUAL
CALM COOL ROMANTIC
FAMILIAR

Fire

Discover the difference

Whatever your style or taste, there's a Dimplex fire of your dreams to match your budget. While some feature HDTV technology to create dancing flames and audible crackling logs, others deliver a 3D illusion of smoke and flame. Whichever fire you choose, it will be the warm and comforting focal point you'd always hoped for.

Find out more about the patented Dimplex fire systems on the next page:

1. Optiflame®
2. Revillusion®
3. Optimyst®
4. Opti-V®





Optiflame®

A fire with Optiflame® technology shows calming flames above the lit fire bed, resulting from a soft light reflected in a large number of moving mirrors. Depending on style and mood, the colours of the flame and fire bed can easily be adjusted in some models. Very contemporary! Furthermore, the fire bed of some models can be decorated entirely to your own taste, using materials other than the ones supplied. This means you can personalise your fireplace to suit your own interior design.



Opti-V® – (Opti-Virtual)

Very lively and intensely glowing flames, with sparks that occasionally fly from the sturdy wood blocks. Opti-V® fire technology consists of a sophisticated combination of HDTV, energy efficient LED technology and a realistic fireplace interior. The calming sound of the crackling fire is a standard feature of all the Opti-V® models.

Optimyst®

Fire from water. The “fire” in a fireplace with Optimyst® technology consists of unique flame patterns and water mist, moving along freely in the surrounding air. The captivating effect is the result of a combination of energy efficient lighting and safe water mist. This water mist contributes to a good humidity level in your home.



Revillusion®

Revillusion® is our latest flame technology and a new milestone in electric fire. The brick interior gives a unique broad view of life-like flames. These flames rise up without reflection from the life-like, sparkling, glowing wood feature in the centre of the fireplace. The colour and intensity of the light can be adjusted in many different ways with the easy-to-operate remote control. The light view can be adjusted precisely to the required atmosphere, the style and the surrounding light.



**Heat function**

The fireplace is equipped with a heat function which can be used as an additional heater. It depends on the specific fireplace if it has one or two heat settings.

**Cool Blow Function**

This function will circulate the air to provide some cooling air flow which is comparable to a ventilator.

**Adjustable brightness**

The brightness of the firebox can be set in different levels to adjust to the desired ambience. It depends on the fireplace, of how many steps of brightness you can choose from.

**Sleep-timer (8 hours)**

The sleep timer can be set in 0.5 hr increments from 0.5 hr up to max 8.0 hr. The device will then turn off automatically after the pre-set time.



Cassette 250

Optimyst®
- 12 - 27 x 14,5 x 27 cm

- Very compact size; fits in almost anything
- For decorative purposes
- Fire from water; easy to use waterbottle



Cassette 400

Optimyst®
40,5 x 34 x 22 cm

- Cassette including logset
- Ideal for building in furniture, compact size
- Ambience and no extra heat. Great if you have children and/or animals



Cassette 600

Optimyst®
55,6 x 34 x 22 cm

- Cassette including logset
- Built-into furniture
- Ambience and no extra heat. Great if you have children and/or animals

The Cassette 500 and 1000 will be delivered without log set. More information about the log set on page 46.



Cassette 500 retail

Optimyst®
51 x 30 x 20 cm

- Endless flame effect per daisy chain
- Easy bottle operation
- Ambience and no extra heat. Great if you have children and/or animals
- Built-in unit with great range of possibilities



Cassette 1000 retail

Optimyst®
101 x 30 x 20 cm


- Endless flame effect per daisy chain
- Easy bottle operation
- Ambience and no extra heat. Great if you have children and/or animals
- Built-in unit with great range of possibilities



Cassette L pebbles

Optimyst®
72 x 34 x 34 cm

- White pebbles decoration included for a clean, modern design
- Built-into furniture
- Ambience and no extra heat. Great if you have children and/or animals



Juneau

Optimyst®
56,2 x 29,5 x 30 cm


- LED log set inclusive
- Built-into furniture
- Ambience and no extra heat.
Great if you have children
and/or animals



Juneau XL

Optimyst®
72 x 36 x 34 cm

- Great size Juneau XL,
length > 70 cm
- Ambience and no extra heat.
Great if you have children
and/or animals
- The special log set is inclusive



NEW

XHD28 - 28" Firebox

Optiflame®
69,5 x 59,6 x 19,5 cm



- Frameless glass front gives an elegant look
- Flames are adjustable in speed
- Digital thermostat for easy adjustment temperature
- Multicolour fuel bed with red and blue colours
- Easy touch controls on the product



DF2608 - 26" Firebox

Optiflame®
69,5 x 57,5 x 22,9 cm



- The LED logset can be adjusted; light and pulse
- Quick and very easy installation
- Back panel with brick pattern for an authentic look
- Extra lightning from the top on the fire system is possible
- Digital thermostat for easy adjustment temperature



DF3020 - 30" Firebox

Optiflame®
80,2 x 67,8 x 27,2 cm



- The LED logset can be adjusted; light and pulse
- Quick and very easy installation
- Back panel with brick pattern for an authentic look
- Extra lightning from the top on the fire system is possible
- Digital thermostat for easy adjustment temperature



Revillusion firebox 30"

Revillusion®

79,2 x 67,6 x 30,7 cm



- Mirage flame panel - see through
- LED flame effect incl. blueish coloured fuel bed
- Back panel with brick pattern for an authentic look
- Multi function remote control



Revillusion firebox 36"

Revillusion®

94,4 x 67,6 x 30,7 cm



- Mirage flame panel - see through
- LED flame effect incl. blueish coloured fuel bed
- Back panel with brick pattern for an authentic look
- Multi function remote control



Silverton

Optimyst®
68 x 31 x 35 cm

- LED log set inclusive ash bed
- Can be placed in inoperative open fireplaces



Engine 56-400

Optimyst®
49 x 70 x 24,3 cm



- The special log set is inclusive
- Incl. fan heater
- Timer: 24h/7 days
- Option: mirror back panel available for a clean, design look and feel



Engine 68-400

Optimyst®
49 x 82,5 x 24 cm



- The special log set is inclusive
- Incl. fan heater
- Timer: 24h/7 days
- Option: mirror back panel available for a clean, design look and feel



Engine 56-600 MB

Optimyst®

65 x 70 x 27 cm



- The special log set is inclusive
- Incl. fan heater
- Timer: 24h/7 days

MB means mirror black back panel



Engine 56-600 B

Optimyst®

65 x 70 x 27 cm



- The special log set is inclusive
- Incl. fan heater
- Timer: 24h/7 days

B means back panel with brick pattern for an authentic look

- 24 -



Danville black

Optimyst®

52 x 62,5 x 17 cm



- Insert for wall cut outs
- Styling: all black



Danville brass antique

Optimyst®

52 x 62,5 x 17 cm



- Insert for wall cut outs
- Styling: antique brass



Danville chrome

Optimyst®

52 x 62,5 x 17 cm



- Insert for wall cut outs
- Styling: shiny chrome

- 25 -



Gala

Optimyst®
64 x 73,5 x 30,5 cm

- Possible to make a see through fireplace; one or two sided
- Instant ambience without any heat output
- Log set included



Albany

Optimyst®
64,2 x 70,5 x 26 cm



- LED log set inclusive
- Including fan with with 2 heat settings
- Timer: 24h/7 days



Toluca de Luxe

Optiflame®
82 x 54,5 x 15,5 cm




- Coloured fuel bed - 4 colours adjustable including acrylic ice
- Background lights setting possible in 4 colours
- Sound module via bluetooth speaker including campfire sound
- Fire system can be adjusted in intensity

SP16E Black EU

Optiflame®
120 x 52,5 x 18,2 cm



- Landscape model with log set
- Solid black metal front frame
- Front wall or recessible in the wall



Prism 34''

Optiflame®
86,7 x 49,4 x 17,9 cm



- Acrylic glass with 7 colour options
- Brightness of the flames is adjustable
- Built-in flat to the wall
- Integrated display function on the glass panel
- Option: Design frame for the Prism 34'' in black or white



NEW

Frame for Prism 34''

Black or White
119 x 81 x 20 cm

- Special frame for the Prism 34'' enigne (not included) in black or white, smooth surface
- Easy to install



Prism 74''

Prism 50''

Optiflame®
128 x 49,4 x 17,9 cm



- Acrylic glass with 7 colour options
- Brightness of the flames is adjustable
- Built-in flat to the wall
- Integrated display function on the glass panel

Prism 74''

Optiflame®
188,3 x 49,4 x 17,9 cm



- Acrylic glass with 7 colour options
- Brightness of the flames is adjustable
- Real center piece: almost 190 cm width
- Built-in flat to the wall
- Integrated display function on the glass panel



Wall fire engine S

Optimyst®
56 x 64,5 x 15,7 cm



- Log set inclusive
- On wall installation
- Timer: 24h/7 days



Wall fire engine L

Optimyst®
71,5 x 65 x 16,5 cm



- Log set inclusive
- On wall installation
- Timer: 24h/7 days



Nissum concrete S

Surround

74 x 69 x 6 cm (20 cm full product)

- Concrete lookalike surround
- This surround only fits to the wall fire engine S (not included)
- The depth of this surround and engine is only 20 cm (engine is not included)



Nissum concrete L

Surround

88 x 69 x 6 cm (20 cm full product)

- Concrete lookalike surround
- This surround only fits to the wall fire engine L (not included)
- The depth of this surround and engine is only 20 cm (engine is not included)



Nissum black S

Surround

74 x 69 x 6 cm (20 cm full product)

- Black finish surround
- This surround only fits to the wall fire engine S (not included)
- The depth of this surround and engine is only 20 cm (engine is not included)



Nissum black L

Surround

88 x 69 x 6 cm (20 cm full product)

- Black finish surround
- This surround only fits to the wall fire engine L (not included)
- The depth of this surround and engine is only 20 cm (engine is not included)



NEW

Isola Stone white

Optimyst®
33 x 130 x 33 cm

- Stone finish with mineral stone for a great design look in white
- Glass cover including metal brackets
- The Isola furniture is inclusive the Cassette 250
- Easy to use, only needs electricity and water
- Only suitable for the use inside your home



NEW

Isola Stone grey

Optimyst®
33 x 130 x 33 cm

- Stone finish with mineral stone for a great design look in grey
- Glass cover including metal brackets
- The Isola furniture is inclusive the Cassette 250
- Easy to use, only needs electricity and water
- Only suitable for the use inside your home



Trision

Surround
120 x 66,2 x 49,5 cm

- Concrete lookalike furniture inclusive a glass shelf on top
- Special design; V-shaped
- This furniture requires a Cassette 600 (not included)



Loop

Surround
170 x 78 x 35 cm

- Concrete lookalike
- Also suitable as TV-stand
- Storage left and right from fire
- This furniture requires a Cassette 600 (not included)



Cavalli

Surround
108,8 x 85,5 x 30,2 cm

- White smooth finish. Clean design
- This surround fits to engine 56-600 MB (not included) or engine 56-600 B (not included)
- The engine MB with the mirror black back panel (not included) gives the Cavalli a design look and feel



Fieldstone

Surround
139 x 100 x 33 cm

- Landhouse style surround
- This surround only fits to the DF2608 engine (not included)
- Robust design; almost 140 cm wide




NEW

Ravel Suite

Surround
100 x 88 x 35 cm

- Modern styled suite; concrete lookalike base
- Black and white finish
- This surround fits to engine 56-600 MB (not included) or engine 56-600 B (not included)
- The engine MB with the mirror black back panel (not included) gives the Ravel a clean design look and feel

- 42 -



Sunningdale

Opti-Virtual®
63,2 x 65,7 x 44 cm



- Special patented LED screen technology
- Stove lookalike
- Gun black metal for an authentic look & feel
- Two heat options. Immediately a warm, cozy feeling




Opti-V 360

Opti-Virtual®
42 x 57,5 x 36,3 cm

- Special patented LED screen technology. 360 degrees effect
- See through illusion with great light effects
- Optional feet for higher installation
- Including campfire sound; adjustable
- Flame picture with sparks

- 43 -



Vega

Optiflame®
118,9 x 47 x 17,3 cm

- Great unit for a impressive landscape fireplace (> 1 meter)
- Slim Line Design; less than 20 cm depth
- Log set included
- Have the warm feeling of a fire; not the heat output



Rana

Optiflame®
65,3 x 73,9 x 19,9 cm



- Portrait built-in unit
- Inclusive fan heater for a warm, cozy feeling
- Log set included



3 Step

Optimyst®
73,3 x 78,3 x 39,1 cm



- Unique fireplace. Can be installed as a front, 2 sided or 3 sided fireplace
- Surround can be adapted to personal wishes
- Inclusive fan heater for a warm, cozy feeling. Two temperature settings
- Timer: 24h/7 days



Logset 500/1000

Fits to Cassette 500 and 1000

Article number: 206350

EAN code: 5011139206350

Dimensions: 51 x 23 x 35,6 cm



Logset 500 L

Fits to Cassette 500

Article number: 206367

EAN code: 5011139206367

Dimensions: 72 x 23 x 30 cm



**Transducer
standard**

Article number: 06023133



**Transducer
Cassette 500/1000**

Article number: 06023368



Aluminium fuel bed 400

Fits to Cassette 400 | Engine 56-400 |

Engine 68-400

Article number: 204202

EAN code: 5011139204202

Dimensions: 40 x 2,5 x 20 cm



**Mirror back panel
Engine 68-400**

Fits to Engine 68-400

Article number: 205421

EAN code: 5011139205421

Dimensions: 44 x 50,9 x 1 cm



**Mirror back panel
Engine 56-400**

Fits to Engine 56-400

Article number: 205414

EAN code: 5011139205414

Dimensions: 44 x 38,6 x 1 cm



**Halogen bulb
4pack**

Article number: 06023090

**Halogen bulb
5pack**

Article number: 06022999

Optiflame® firesystems:

always glass front

Optimyst® firesystems:

open system; no closed glass front

Revillusion® firesystems:

open system

Opti-V® firesystems:

depending on the product

	Product name	Cassette 250	Cassette 400	Cassette 600
	Article number	210388	204516	204226
	EAN code	5011139210388	5011139204516	5011139204226
General specifications	Model	Built-in unit	Built-in unit	Built-in unit
	Fire system	Optimyst®	Optimyst®	Optimyst®
	Colour	Black	Black	Black
	View of the fire	4 sided	4 sided	4 sided
	Decoration / fuel bed	Metal plate	Log set	Log set
	Heat output	No	No	No
	Thermostat	No	No	No
	Timer	No	No	No
Power consumption	Heat setting 1 in W	-	-	-
	Heat setting 2 in W	-	-	-
	Flame only operation in W	60W	200W	200W
	Max. consumption	60W	200W	200W
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz	230V/50Hz
Accessories	Light module	LED	Halogen	Halogen
Additional features	Sound module	No	No	No
	Colour effects settings	No	No	No
Additional specifications	Length of the cord	1,5 m	1,5 m	1,5 m
	Warranty	2 year	2 year	2 year
Dimensions	Measurements view of the fire (HxW)	20 x 22 cm	20 x 22 cm	20 x 22 cm
	Outside dimensions WxHxD	27 x 14,5 x 27 cm	40,5 x 34 x 22 cm	55,6 x 34 x 22 cm
Weight	Product weight	2,8 kg	4 kg	7 kg
Engine required	Required	No	No	No
	Engine name	-	-	-
	Engine article number	-	-	-
	EAN code	-	-	-

All Cassettes and surrounds with Cassettes must have enough air / ventilation for the optimum fire experience.
For advice please read the manuals or check the website www.dimplex-fires.eu

Cassette 500 retail	Cassette 1000 retail	Cassette L pebbles	Juneau	Juneau XL
210654	210661	202789	202086	202666
5011139210654	5011139210661	5011139202789	5011139202086	5011139202666
Built-in unit	Built-in unit	Built-in unit	Built-in unit	Built-in unit
Optimyst®	Optimyst®	Optimyst®	Optimyst®	Optimyst®
Black	Black	Black	Black	Black
4 sided	4 sided	4 sided	4 sided	4 sided
Metal plate	Metal plate	Pebbles white	LED log set	Log set
No	No	No	No	No
No	No	No	No	No
No	No	No	No	No
-	-	-	-	-
-	-	-	-	-
220W	440W	400W	250W	400W
220W	440W	400W	250W	400W
230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
LED	LED	Halogen	Halogen	Halogen
Yes	Yes	No	No	No
No	No	No	No	No
1,5 m	1,5 m	1,5 m	1,5 m	1,5 m
2 year	2 year	2 year	2 year	2 year
20 x 49 cm	20 x 99 cm	20 x 51 cm	20 x 32 cm	20 x 51 cm
51 x 30 x 20 cm	101 x 30 x 20 cm	72 x 34 x 34 cm	56,2 x 29,5 x 30 cm	72 x 36 x 34 cm
9 kg	17,5 kg	22 kg	15 kg	22 kg
No	No	No	No	No
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
Option: LED log set available	Option: LED log set available, 2x log set 500			

	Product name	28" Firebox - XHD28	DF2608 - 26" firebox	DF3020 - 30" firebox
	Article number	211002	208255	208286
	EAN code	5011139211002	5011139208255	5011139208286
General specifications	Model	Firebox	Built-in unit	Built-in unit
	Fire system	Optiflame®	Optiflame®	Optiflame®
	Colour	Black	Black. Back panel effect: brick	Black. Back panel effect: brick
	View of the fire	1 sided	1 sided	1 sided
	Decoration / fuel bed	LED log set	LED log set	LED log set
	Heat output	Yes	Yes	Yes
	Thermostat	Yes	Yes	Yes
	Timer	8h sleep timer	8h sleep timer	8h sleep timer
Power consumption	Heat setting 1 in W	1400W	1000W	1000W
	Heat setting 2 in W	-	2000W	2000W
	Flame only operation in W	7W	14W	17W
	Max. consumption	1400W	2000W	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz	230V/50Hz
Accessories	Light module	LED	LED	LED
Additional features	Sound module	No	No	No
	Colour effects settings	Yes, in fuel bed	No	No
Additional specifications	Length of the cord	1,5 m	1,5 m	1,5 m
	Warranty	2 years	2 year	2 year
Dimensions	Measurements view of the fire (HxW)	48 x 62 cm	42 x 64 cm	52 x 74 cm
	Outside dimensions WxHxD	69,5 x 59,6 x 19,5 cm	69,5 x 57,5 x 22,9 cm	80,2 x 67,8 x 27,2 cm
Weight	Product weight:	14,5 kg	18,9 kg	22,8 kg
Engine required	Required	No	No	No
	Engine name	-	-	-
	Engine article number	-	-	-
	EAN code	-	-	-

Revillusion firebox 30"	Revillusion firebox 36"	Silverton	Engine 56-400	Engine 68-400
210357	210364	204554	210234	210258
5011139210357	5011139210364	5011139204554	5011139210234	5011139210258
Firebox	Firebox	Insert	Built-in unit	Built-in unit
Revillusion®	Revillusion®	Optimyst®	Optimyst®	Optimyst®
Black	Black	Black	Black back panel	Black back panel
1 sided	1 sided	4 sided	1 sided	1 sided
LED log set incl. colour option	LED log set incl. colour option	LED log set	Log set	Log set
Yes	Yes	No	Yes	Yes
Yes	Yes	No	Yes	Yes
8h sleep timer	8h sleep timer	No	24h/7 day timer	24h/7 day timer
1000W	1000W	-	1000W	1000W
2000W	2000W	-	2000W	2000W
15W	19W	60W	200W	200W
2000W	2000W	60W	2000W	2000W
230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
LED	LED	LED	Halogen	Halogen
No	No	No	No	No
Fuel bed in blue/red hue	Fuel bed in blue/red hue	No	No	No
1,5 m	1,5 m	1,5 m	1,5 m	1,5 m
2 year	2 year	2 year	2 year	2 year
58 x 75 cm	58 x 89 cm	20 x 22 cm	38 x 41 cm	50 x 41 cm
79,2 x 67,6 x 30,7 cm	94,4 x 67,6 x 30,7 cm	68 x 31 x 35 cm	49 x 70 x 24,3 cm	49 x 82,5 x 24 cm
22,7 kg	27,2 kg	11 kg	15 kg	16,2 kg
No	No	No	No	No
-	-	-	-	-
-	-	-	-	-
			Option: Mirror back panel	Option: Mirror back panel

General specifications	Product name	Engine 56-600 MB	Engine 56-600 B
	Article number	210227	210210
	EAN code	5011139210227	5011139210210
	Model	Built-in unit	Built-in unit
	Fire system	Optimyst®	Optimyst®
	Colour	Mirror black back panel	Brick back panel
	View of the fire	1 sided	1 sided
	Decoration / fuel bed	Log set	Log set
	Heat output	Yes	Yes
	Thermostat	Yes	Yes
Power consumption	Timer	24h/7 day timer	24h/7 day timer
	Heat setting 1 in W	1000W	1000W
	Heat setting 2 in W	2000W	2000W
	Flame only operation in W	200W	200W
Voltage	Max. consumption	2000W	2000W
Accessories	Voltage/Electrical frequency	230V/50Hz	230V/50Hz
Additional features	Light module	Halogen	Halogen
	Sound module	No	No
Additional specifications	Colour effects settings	No	No
Dimensions	Length of the cord	1,5 m	1,5 m
	Warranty	2 year	2 year
Weight	Measurements view of the fire (HxW)	40 x 56 cm	40 x 56 cm
	Outside dimensions WxHxD	65 x 70 x 27 cm	65 x 70 x 27 cm
Engine required	Product weight:	19,5 kg	19,5 kg
	Required	No	No
	Engine name	-	-
	Engine article number	-	-
	EAN code	-	-

Danville black	Danville brass antique	Danville chrome	Gala	Albany
202550	202536	202567	201447	210173
5011139202550	5011139202536	5011139202567	5011139201447	5011139210173
Freestanding wall unit	Freestanding wall unit	Freestanding wall unit	Built-in unit	Built-in unit
Optimyst®	Optimyst®	Optimyst®	Optimyst®	Optimyst®
Black	Brass	Chrome	Black	Black
1 sided	1 sided	1 sided	1 or 2 sided	1 sided
Log set	Log set	Log set	Log set	LED log set
Yes	Yes	Yes	No	Yes
Yes	Yes	Yes	No	Yes
No	No	No	No	24h/7 day timer
1000W	1000W	1000W	-	750W
2000W	2000W	2000W	-	1500W
200W	200W	200W	240W	240W
2000W	2000W	2000W	240W	1500W
230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
Halogen	Halogen	Halogen	Halogen	Halogen
No	No	No	No	No
No	No	No	No	No
1,5 m	1,5 m	1,5 m	1,5 m	1,5 m
2 year	2 year	2 year	2 year	2 year
24 x 32 cm	24 x 32 cm	24 x 32 cm	42 x 57 cm	42 x 57 cm
52 x 62,5 x 17 cm	52 x 62,5 x 17 cm	52 x 62,5 x 17 cm	64 x 73,5 x 30,5 cm	64,2 x 70,5 x 26 cm
16 kg	16 kg	16 kg	24 kg	24,5 kg
No	No	No	No	No
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

General specifications	Product name	Toluca de Luxe	SP16E Black EU	Prism 34"
	Article number	210418	209863	208378
	EAN code	5011139210418	5011139209863	5011139208378
	Model	Wall hung	Wall hung	Linear wall hung; can be recessed into the wall
	Fire system	Optiflame®	Optiflame®	Optiflame®
	Colour	Black	Black	Black
	View of the fire	1 sided	1 sided	1 sided
	Decoration / fuel bed	Acrylic ice	Log set	Glass ember bed + Acrylic ice
	Heat output	Yes	Yes	Yes
	Thermostat	Yes	Yes	Yes
Power consumption	Timer	8h sleep timer	8h sleep timer	8h sleep timer
	Heat setting 1 in W	1000W	1000W	1100W
	Heat setting 2 in W	2000W	2000W	-
	Flame only operation in W	10W	13W	15W
Voltage	Max. consumption	2000W	2000W	1100W
	Voltage/Electrical frequency	230V/50Hz	230V/50Hz	230V/50Hz
Accessories	Light module	LED	LED	LED
Additional features	Sound module	Yes, bluetooth	No	No
	Colour effects settings	Multi colour fuel bed	No	Yes, fuel bed
Additional specifications	Length of the cord	1,5 m	1,5 m	1,5 m
	Warranty	2 year	2 year	2 year
Dimensions	Measurements view of the fire (HxW)	28 x 51 cm	38 x 95 cm	79 x 27 cm
	Outside dimensions WxHxD	82 x 54,5 x 15,5 cm	120 x 52,5 x 18,2 cm	86,7 x 49,4 x 17,9 cm
Weight	Product weight:	14,5 kg	40,7 kg	22,1 kg
Engine required	Required	No	No	No
	Engine name	-	-	-
	Engine article number	-	-	-
	EAN code	-	-	-

Frame white for Prism 34"	Frame black for Prism 34"	Prism 50"	Prism 74"
211354	211361	209900	209917
5011139211354	5011139211361	5011139209900	5011139209917
For Prism 34"	For Prism 34"	Linear wall hung; can be recessed into the wall	Linear wall hung; can be recessed into the wall
-	-	Optiflame®	Optiflame®
White	Black	Black	Black
1 sided	1 sided	1 sided	1 sided
No	No	Glass ember bed + Acrylic ice	Glass ember bed + Acrylic ice
No	No	Yes	Yes
No	No	Yes	Yes
No	No	8h sleep timer	8 h runback timer
-	-	1100W	1100W
-	-	-	-
-	-	19W	24W
-	-	1100W	1100W
-	-	230V/50Hz	230V/50Hz
-	-	LED	LED
-	-	No	No
-	-	Yes, fuel bed	Yes, fuel bed
-	-	1,5 m	1,5 m
2 year	2 year	2 year	2 year
79 x 27 cm	79 x 27 cm	27 x 120 cm	27 x 180 cm
119 x 81 x 20 cm	119 x 81 x 20 cm	128 x 49,4 x 17,9 cm	188,3 x 49,4 x 17,9 cm
20 kg	20 kg	32,5 kg	47,2 kg
Yes	Yes	No	No
Prism 34"	Prism 34"	-	-
208378	208378	-	-
5011139208378	5011139208378	-	-

	Product name	Wall fire engine S	Wall fire engine L	Nissum concrete S	Nissum concrete L
	Article number	210180	210203	207821	207838
	EAN code	5011139210180	5011139210203	5011139207821	5011139207838
General specifications	Model	Wall hung	Wall hung	Wall hung	Wall hung
	Fire system	Optimyst®	Optimyst®	Optimyst®	Optimyst®
	Colour	Black	Black	Concrete	Concrete
	View of the fire	1 sided	1 sided	1 sided	1 sided
	Decoration / fuel bed	Log set	Log set	-	-
	Heat output	Yes	Yes	-	-
	Thermostat	Yes	Yes	-	-
	Timer	24h/7 day timer	24h/7 day timer	-	-
Power consumption	Heat setting 1 in W	1000W	1000W	-	-
	Heat setting 2 in W	2000W	2000W	-	-
	Flame only operation in W	200W	200W	-	-
	Max. consumption	2000W	2000W	-	-
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz	-	-
Accessories	Light module	Halogen	Halogen	-	-
Additional features	Sound module	No	No	-	-
	Colour effects settings	No	No	-	-
Additional specifications	Length of the cord	1,5 m	1,5 m	-	-
	Warranty	2 year	2 year	2 year	2 year
Dimensions	Measurements view of the fire (HxW)	32 x 40 cm	32 x 54 cm	32 x 40 cm (only if the engine is integrated)	32 x 54 cm (only if the engine is integrated)
	Outside dimensions WxHxD	56 x 64,5 x 15,7 cm	71,5 x 65 x 16,5 cm	74 x 69 x 6 cm (20 cm full product)	88 x 69 x 6 cm (20 cm full product)
Weight	Product weight:	13,5 kg	16,5 kg	6 kg	6,5 kg
Engine required	Required	No	No	Yes	Yes
	Engine name	-	-	Wall fire engine S	Wall fire engine L
	Engine article number	-	-	210180	210203
	EAN code	-	-	5011139210180	5011139210203

Nissum black S	Nissum black L	Isola Stone white	Isola Stone grey
202963	206299	SET001	SET002
5011139202963	5011139206299	8716412211317	8716412211324
Wall hung	Wall hung	Freestanding furniture	Freestanding furniture
Optimyst®	Optimyst®	Optimyst®	Optimyst®
Black	Black	White polished stone finish	Grey polished stone finish
1 sided	1 sided	4 sided	4 sided
-	-	Metal fuel bed, for own decoration	Metal fuel bed, for own decoration
-	-	No	No
-	-	No	No
-	-	No	No
-	-	-	-
-	-	-	-
-	-	60W	60W
-	-	60W	60W
-	-	230V/50Hz	230V/50Hz
-	-	LED	LED
-	-	No	No
-	-	No	No
-	-	1 m	1 m
2 year	2 year	2 year	2 year
32 x 40 cm (only if the engine is integrated)	32 x 54 cm (only if the engine is integrated)	20 x 22 x 22 cm	20 x 22 x 22 cm
74 x 69 x 6 cm (20 cm full product)	88 x 69 x 6 cm (20 cm full product)	33 x 130 x 33 cm	33 x 130 x 33 cm
6 kg	6,5 kg	32,8 kg	32,8 kg
Yes	Yes	No	No
Wall fire engine S	Wall fire engine L	-	-
210180	210203	-	-
5011139210180	5011139210203	-	-

	Product name			
	Trision	Loop	Cavalli	
General specifications	Article number	208446	209870	204295
	EAN code	5011139208446	5011139209870	5011139204295
	Model	Free standing unit	Free standing unit	Freestanding wall unit
	Fire system	Optimyst®	Optimyst®	Optimyst®
	Colour	Concrete/black	Concrete/black	White
	View of the fire	2 sided	2 sided	1 sided
	Decoration / fuel bed	-	-	-
	Heat output	-	-	-
	Thermostat	-	-	-
Power consumption	Timer	-	-	-
	Heat setting 1 in W	-	-	-
	Heat setting 2 in W	-	-	-
	Flame only operation in W	-	-	-
Voltage	Max. consumption	-	-	-
	Voltage/Electrical frequency	-	-	-
Accessories	Light module	-	-	-
Additional features	Sound module	-	-	-
	Colour effects settings	-	-	-
Additional specifications	Length of the cord	-	-	-
	Warranty	2 year	2 year	2 year
Dimensions	Measurements view of the fire (HxW)	20 x 22 cm (only if the engine is integrated)	20 x 22 cm (only if the engine is integrated)	40 x 56 cm (only if the engine is integrated)
	Outside dimensions WxHxD	120 x 66,2 x 49,5 cm	170 x 76 x 35 cm	108,8 x 85,5 x 30,2 cm
Weight	Product weight:	42 kg	55 kg	25 kg
Engine required	Required	Yes	Yes	Yes
	Engine name	Cassette 600	Cassette 600	Engine 56-600 MB (mirror black) or Engine 56-600 B (brick)
	Engine article number	204226	204226	210227 / 210210
	EAN code	5011139204226	5011139204226	5011139210227 / 5011139210210

All Cassettes and surrounds with Cassettes must have enough air / ventilation for the optimum fire experience.
For advice please read the manuals or check the website www.dimplex-fires.eu

Fieldstone	Ravel Suite	Sunningdale	Opti-V 360
SSE-ST-9040	211347	207784	206336
0781052056671	5011139211347	5011139207784	5011139206336
Freestanding wall unit	Freestanding wall unit	Freestanding wall unit	Freestanding unit
Optiflame®	Optimyst®	Opti-Virtual®	Opti-Virtual®
Fieldstone/wood	White/Black	Black	Black
1 sided	1 sided	1 sided	4 sided (360 degrees)
-	-	Log set	Mirror/log set
-	-	Yes	No
-	-	Yes	No
-	-	No	No
-	-	1000W	-
-	-	2000W	-
-	-	40W	25W
-	-	2000W	25W
-	-	230V/50Hz	-
-	-	LED screen	LED screen
-	-	Yes	Yes
-	-	No	No
-	-	1,5 m	1,5 m
2 year	2 year	2 year	2 year
42 x 64 cm (only if the engine is integrated)	40 x 56 cm (only if the engine is integrated)	30 x 45 cm	41 x 40 cm
139 x 100 x 33 cm	100 x 88 x 35 cm	63,2 x 65,7 x 44 cm	42 x 57,5 x 36,3 cm
60 kg	25 kg	30 kg	12 kg
Yes	Yes	No	No
DF2608 - 26" firebox	Engine 56-600 MB (mirror black) or Engine 56-600 B (brick)	-	-
208255	210227 / 210210	-	-
5011139208255	5011139210227 / 5011139210210	-	-

	Product name	Vega	Rana	3 Step
	Article number	117489	116642	210166
	EAN code	5011139117489	5011139116642	5011139210166
General specifications	Model	Built-in unit construction	Built-in unit construction	Built-in unit construction
	Fire system	Optiflame®	Optiflame®	Optimyst®
	Colour	Black	Black	Black
	View of the fire	1 sided	1 sided	1, 2 or 3 sided
	Decoration / fuel bed	Log set	Log set	Log set
	Heat output	No	Yes	Yes
	Thermostat	No	Yes	Yes
	Timer	No	No	No
Power consumption	Heat setting 1 in W	-	750W	750W
	Heat setting 2 in W	-	1500W	1500W
	Flame only operation in W	20W	15W	250W
	Max. consumption	20W	1500W	1500W
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz	230V/50Hz
Accessories	Light module	LED	LED	Halogen
Additional features	Sound module	No	No	No
	Colour effects settings	No	No	No
Additional specifications	Length of the cord	1,5 m	1,5 m	1,5 m
	Warranty	2 year	2 year	2 year
Dimensions	Measurements view of the fire (HxW)	32 x 95 cm	48,5 x 53 cm	39 x 71 cm
	Outside dimensions WxHxD	118,9 x 47 x 17,3 cm	65,3 x 73,9 x 19,9 cm	73,3 x 78,3 x 39,1 cm
Weight	Product weight:	40 kg	25,5 kg	30 kg
Engine required	Required	No	No	No
	Engine name	-	-	-
	Engine article number	-	-	-
	EAN code	-	-	-





All advantages at a glance

No:

- Smoke or soot
- Dust emission
- Ash
- Dirt
- Need to chop firewood
- Need to store firewood
- Need to comply with environmental regulations
- Chimney sweeps

And:

- Numerous design solutions
- Numerous integration options
- With or without heating options
- More choice
- More climate-friendly
- No or very limited installation work
- Can be used almost anywhere
- Ready for immediate use
- Reduce environmental impact

Always:

- Clean
- Simple
- Safe

Fireside Tales

Simple, safe and flexible - electric fires can be used almost anywhere.

Bonfires are great, but only outdoors. Bringing fire into the home is more complicated - the smoke needs to escape through a chimney or flue, strict legal and environmental guidelines must be observed. It's much easier with an electric fire. Plug it in, sit back, and enjoy the warm, cosy atmosphere. That's what makes electric fires so simple, safe and flexible. They are suitable for kid's rooms, holiday homes, even yachts ... Wherever and however you want them.

Let your imagination run wild. Electric fires are the ideal solution for public spaces, such as hotel lobbies, bars and restaurants where installing a gas or wood-burning fire would be highly complicated or, as usually the case, prohibited by law. In these elegant settings, a fire can create a whole new atmosphere with its magical light and flickering flames.

Disclaimer

This publication was created by us with great care. All information in this document may have been misrepresented, changed or supplemented in the meantime. All intermediate changes are reserved. As long as the stock lasts. Glen Dimplex is not responsible for the consequences of any acts, decisions or results made solely on the basis of the information in this publication. We emphasize that for proper and safe installation and operation, the expertise and advice of an expert must always be obtained and followed, and that applicable rules and regulations must always be adhered to. Our terms of delivery apply to this document and these are available upon request.

Let *Dimplex* inspire you



Your dealer:

Glen Dimplex
Consumer Appliances Europe
EU Flame
Saturnus 8
NL-8448 CC Heerenveen

PO Box 219
NL-8440 AE Heerenveen

T. +31(0)513 656500
F. +31(0)513 656501
E. info@dimplex-fires.eu

www.dimplex-fires.eu



@dimplexfiresnl



Follow us

@dimplexfires_nl